

## PRODUCT DATA SHEET: Armour Rock 500mm – 800mm

Description: Armour rock and materials that are used to prevent or mitigate erosion due to movement of water.

Uses: Typically these materials are used in “revetment” applications such as protection of canal banks, bridge piers, shore stabilisation.


Advantages: The Armour rock produced at Nucrush Oxenford, this site is quarried from a Metagreywacke deposit.

This material is tested and proven to be HARD, DURABLE and RESISTANT to CHEMICAL ATTACK making it ideal for use in revetment applications.

Specifications: Armour rock is usually ordered on a size and shape requirement.

Specifications should allow for some variation in the size and shape of the rock.

Shape is usually specified as a length: width: height requirement, typically Armour rock will have a maximum ratio of 4:1 ratio for length: width or length: height.



In terms of size, Nucrush’s Armour rock is typically:

$D_{100} < 800\text{mm}$  (100% of the rock is to be less than 800mm diameter)

$D_{50} > 650\text{mm}$  (50% of the rock is to be greater than 650mm diameter)

$D_{10} > 500\text{mm}$  (10% of the rock is allowed to be less than 500mm diameter)

Note: due to the size of the rock, armour rock is graded based on individual rock measurements, not weight of the sample.

In terms of resistance to chemical attack Nucrush's Armour rock has test results of between 0.2% and 0.4% for Sodium Sulphate Soundness

## Transport

Due to the size of the rock Armour rock is usually delivered by tipper truck.

## Note:

Typically hard rock materials that are available within the region are quarried from Metagreywacke deposits. These products have a tendency to change colour over time and will result in a change in colour from typical grey through to brown. The variance from grey to brown has little or no effect on the quality, durability or size of the final product.

## Precautions

Suitable handling and work instructions should be developed for use of this product that takes into account safety information that is available on the Safety Data Sheet for quarried Meta-greywacke rock. The Safety Data Sheet is available from Nucrush's website at [www.nucrush.com.au](http://www.nucrush.com.au) or by contacting Nucrush on Tel 07 5573 8000 or Fax 07 5573 2908

For more information about Nucrush and its products, please visit the Nucrush website at [www.nucrush.com.au](http://www.nucrush.com.au) or email [sales@nucrush.com.au](mailto:sales@nucrush.com.au).

Nucrush reserves the right to change product specifications without prior notification. Information in this publication and otherwise supplied to users is given in good faith and at the time of publication was accurate to the best of our knowledge. No warranty is given or is to be implied with respect to either the information or the suitability of the product for any particular purpose. The purchaser should independently determine the suitability of the product for the intended application. Copyright © 2015 Nucrush Pty. Ltd.